

Office

Pens and Markers

Permanent Marker Pens



Perfect for slides, sample bags and beakers.

- Write on glass, plastic, porcelain, film, rubber, wood and paper
- Permanent ink dries in a split second



Description	Colour	Pk	Cat. No.	
Marking pens	assorted	12	811-0055	•
	black	6	811-0056	•
	red	6	811-0057	•
	blue	6	811-0058	•
	green	6	811-0059	•

Assorted colours: 6 black, 2 red, 2 blue, 2 green

Lab Markers



Designed to write on wet or dry surfaces, plastic disposables, glassware and porcelain.

- The ink will not smear when subjected to water or alcohol
- Ink dries instantly for immediate handling
- Can be wiped off using solvents (except alcohol)



Description	Colour	Pk	Cat. No.	
Extra fine tip	black	10	811-0060	•
	red	10	811-0062	•
	blue	10	811-0061	•
	green	10	811-0063	•
Fine tip	black	10	811-0065	•
	red	10	811-0067	•
	blue	10	811-0066	•
	green	10	811-0068	•

Laboratory Markers

Nalgene



Black

Universal pens for a wide variety of applications. Cap with handy clip.

- Special fast-drying ink
- Highly chemical resistant and waterproof when writing on PolyPaper
- Also suitable for marking glass and plastics

Description	Pk	Cat. No.	
Fine tip	4	479-0013	•
Thick tip	4	479-0014	•

Permanent Marker, Sharpie



Super sharpie is more chunky than fine point and has an extra large nib. Assorted packs contain one each of black, blue, green and red.

- Waterproof
- Fast drying
- Low odour ink excellent for colour coding

Description	Colour	Pk	Cat. No.	
Fine point	assorted	1 set	811-0026	•
Fine point	black	12	811-0023	•
Fine point	blue	12	811-0024	•
	red	12	811-0025	•

Marker Pens, Sterile, Klerpack™



Efficient and cost effective option that can save a significant amount of time. Blue or black marker pens are available to meet QA requirements for photocopied documents. They feature alcohol resistant labelling and autoseal ink.



- Polyethylene packaging is easier to wipe, enabling more effective spray and wipe
- Reduces the risk of any initial bioburden
- Gamma irradiated at no less than 25 kGy

Packaging: Individually double bagged and packed in a third bag

Description	Colour	Pk	Cat. No.
Klerpack™ sterile marker pen	black	5	818-0118
	blue	10	818-0119
	black	10	818-0120

High Temperature Marker

For metal, glass and ceramics.

- Withstands temperatures up to 750 °C
- Waterproof
- Removable only by solvent

Description	Colour	Pk	Cat. No.
Marker	black	6	811-0002

Marker PAP PEN, Immunostaining



PAP PEN is designed to provide a water repellent barrier when a circle is drawn around a specimen. The barrier of the PAP PEN retains antisera within the defined area and ensures, that only the amount of antibody needed for sufficient reaction is used.

- PAP PEN stops spreading, reduces waste and divides slides into discrete areas for immunostaining, histology, cytology, cell culture, virology, microbiology
- PAP PEN is effective for immunostaining, PAP method, ABC method, ASD method, enzyme and frozen section methods
- The staining is insoluble in acetone and alcohol and can be removed if desired by xylene after the staining procedure.

Description	Pk	Cat. No.
Marker PAP PEN	1	720-0169

Diamond Pens



For writing on glass, retractable point, press-button action.

Length: approx. 125 mm.

Delivery Information: Supplied in plastic case with pocket clip.

Description	Pk	Cat. No.
Diamond pen	1	818-0021

Diamond Pens



Pens for writing, etching and engraving on glass.

Delivery Information: Supplied in plastic sleeve.

Description	Pk	Cat. No.
Diamond pen	1	631-0537

Office

Labels and Accessories

Printer for Labels, Minimark™



Minimark™ will allow you to print your signs and labels quickly, keeping excellent print quality (up to 4"/sec.).

- Dual connectivity: Serial or USB
- "Plug and Play" using USB, automatic recognition by your PC makes the Minimark™ easy to use
- Prints both Direct and Thermal transfer
- Die-cut and continuous labels, increasing the range of applications

No additional training required

Description	Pk	Cat. No.
MiniMark + MarkWare software (UK version)	1	116-0224

Vinyl Tape B-7589, 100 mm

Colour	Pk	Cat. No.
grey	1 Roll	116-0219
blue	1 Roll	116-0216
red	1 Roll	116-0214
white	1 Roll	116-0212
brown	1 Roll	116-0221
gold	1 Roll	116-0220
transparent	1 Roll	116-0211
black	1 Roll	116-0218
yellow	1 Roll	116-0213
violet	1 Roll	116-0222
orange	1 Roll	116-0217
green	1 Roll	116-0215

Thermal Transfer Ribbon

Colour	Pk	Cat. No.
blue	2	116-0209
white	2	116-0207
green	2	116-0210
red	2	116-0208
black	2	116-0206

Technical Support

Ask us anything ... we have the answers



Contact us by phone: +44 (0) 203 3557 924

by email: technical.services@uk.vwr.com

Tapes, Temperature Resistant



All purpose, self-adhesive Time Tape is well suited for a wide variety of labelling applications. It can be written on with pen, pencil or permanent marker. This tape is available in an assortment of various colours in two lengths and four widths.

- Temperature resistant from -45 up to +121 °C
- With removable adhesive
- Oil, water and acid resistant

Width 12.70 mm

Colour	Length (m)	Pk	Cat. No.
black	12.7	1 Roll	817-1515
	55	1 Roll	817-1614
blue	12.7	1 Roll	817-1507
	55	1 Roll	817-1606
copper	12.7	1 Roll	817-1510
	55	1 Roll	817-1609
cream	12.7	1 Roll	817-1508
	55	1 Roll	817-1607
green	12.7	1 Roll	817-1503
	55	1 Roll	817-1602
green/yellow	12.7	1 Roll	817-0041
	55	1 Roll	817-0047
grey	12.7	1 Roll	817-1514
	55	1 Roll	817-1613
lavender	12.7	1 Roll	817-1513
	55	1 Roll	817-1612
light green	12.7	1 Roll	817-0039
	55	1 Roll	817-0045
orange	12.7	1 Roll	817-1506
	55	1 Roll	817-1605
pink	12.7	1 Roll	817-1511
	12.7	1 Roll	817-1504
pink	55	1 Roll	817-1610
	55	1 Roll	817-1603
red	12.7	1 Roll	817-1505
	55	1 Roll	817-1604
salmon	12.7	1 Roll	817-1509
	55	1 Roll	817-1608
turquoise	12.7	1 Roll	817-0040
	55	1 Roll	817-0046
violet	12.7	1 Roll	817-1512
	55	1 Roll	817-1611
white	12.7	1 Roll	817-1501
	55	1 Roll	817-1600
yellow	12.7	1 Roll	817-1502
	55	1 Roll	817-1601

Width 19.05 mm

Colour	Length (m)	Pk	Cat. No.
black	12.7	1 Roll	817-1535
	55	1 Roll	817-1629
blue	12.7	1 Roll	817-1527
	55	1 Roll	817-1621
copper	12.7	1 Roll	817-1530
	55	1 Roll	817-1624
cream	12.7	1 Roll	817-1528
	55	1 Roll	817-1622
green	12.7	1 Roll	817-1523
	55	1 Roll	817-1617
grey	12.7	1 Roll	817-1534
	55	1 Roll	817-1628
lavender	12.7	1 Roll	817-1533
	55	1 Roll	817-1627
light green	12.7	4 Roll	817-0042
	55	1 Roll	817-0049
orange	12.7	1 Roll	817-1526
	55	1 Roll	817-1620
pink	12.7	1 Roll	817-1524
	55	1 Roll	817-1618
red	12.7	1 Roll	817-1525
	55	1 Roll	817-1619
pink	12.7	1 Roll	817-1531
	55	1 Roll	817-1625
salmon	12.7	1 Roll	817-1529
	55	1 Roll	817-1623

Colour	Length (m)	Pk	Cat. No.
turquoise	12.7	1 Roll	817-0043
	55	1 Roll	817-0050
violet	12.7	1 Roll	817-1532
	55	1 Roll	817-1626
white	12.7	1 Roll	817-1521
	55	1 Roll	817-1615
yellow	12.7	1 Roll	817-1522
	55	1 Roll	817-1616

Width 25.40 mm

Colour	Length (m)	Pk	Cat. No.
black	12.7	1 Roll	817-1555
	55	1 Roll	817-1644
blue	12.7	1 Roll	817-1547
	55	1 Roll	817-1636
copper	12.7	1 Roll	817-1550
	55	1 Roll	817-1639
cream	12.7	1 Roll	817-1548
	55	1 Roll	817-1637
green	12.7	1 Roll	817-1543
	55	1 Roll	817-1632
green/yellow	55	1 Roll	817-0048
grey	12.7	1 Roll	817-1554
	55	1 Roll	817-1643
lavender	12.7	1 Roll	817-1553
	55	1 Roll	817-1642
orange	12.7	1 Roll	817-1546
	55	1 Roll	817-1635
pink	12.7	1 Roll	817-1544
	55	1 Roll	817-1633
red	12.7	1 Roll	817-1545
	55	1 Roll	817-1634
pink	12.7	1 Roll	817-1551
	55	1 Roll	817-1640
salmon	12.7	1 Roll	817-1549
	55	1 Roll	817-1638
violet	12.7	1 Roll	817-1552
	55	1 Roll	817-1641
white	12.7	1 Roll	817-1541
	55	1 Roll	817-1630
yellow	12.7	1 Roll	817-1542
	55	1 Roll	817-1631

Width 50.80 mm

Colour	Length (m)	Pk	Cat. No.
blue	55	1 Roll	817-0025
grey	55	1 Roll	817-0022
light green	12.7	1 Roll	817-0037
pink	55	1 Roll	817-0036
pink	55	1 Roll	817-0023
red	55	1 Roll	817-0024
white	55	1 Roll	817-0035
yellow	55	1 Roll	817-0021

Labelling Tapes, Rainbow Pack with Dispenser



Pack with acrylic multidispenser and 10 rolls of Time-Tape in popular colours: white, yellow, green, red, orange, blue, tan, salmon, violet and lavender. All purpose, self-adhesive Time Tape is well suited for a wide variety of labelling applications. It can be written on with pen, pencil or permanent marker.


- Temperature resistant from -45 up to +121 °C
- With removable adhesive
- Oil, water and acid resistant

Dimensions of the adhesive strips:

Length: 12.7 m
Width: 13 mm

Description	Colour	Pk	Cat. No.
Rainbow Pack with Dispenser	assorted	10 Roll	817-1659

Label Tapes, Write-On™



Adheres to any clean surface including Teflon coated materials. Pencil, ball-point pen or solvent ink marker remains legible under the most demanding laboratory conditions.

- Temperature range of -73 to +121 °C
- Peels off without leaving a sticky residue
- Resists moisture and most solvents

Length: 36 m, 55 m (817-1327, 817-1329, 817-1328)

Width 12.5 mm

Colour	Length (m)	Pk	Cat. No.
white	36	1	817-1301
red	36	1	817-1302
yellow	36	1	817-1303
green	36	1	817-1304
blue	36	1	817-1305
orange	36	1	817-1306
white	55	1	817-1327

Width 19 mm

Colour	Length (m)	Pk	Cat. No.
white	36	1	817-1311
red	36	1	817-1312
yellow	36	1	817-1313
green	36	1	817-1314
blue	36	1	817-1315
orange	36	1	817-1316
white	55	1	817-1329

Width 25 mm

Colour	Length (m)	Pk	Cat. No.
white	36	1	817-1321
red	36	1	817-1322
yellow	36	1	817-1323
green	36	1	817-1324
blue	36	1	817-1325
orange	36	1	817-1326
white	55	1	817-1328

Adhesive Label Strips, Starter Kit



Kit with acrylic multidispenser for any combination of rolls up to 240 mm, and 10 rolls of Time-Tape in popular colours: white, yellow, green, red, orange, blue, beige, salmon pink, violet and lavender.

- All inclusive
- Large variety of colours

Dimensions of the adhesive strips:

Length: 12.7 m

Width: 13 mm

Description	Colour	Pk	Cat. No.
Starter kit	assorted		817-1700

Office

Labels and Accessories

Labelling Tapes, Temperature Resistant



Textile-based with special adhesive. For use in freezing conditions, drying cupboards, incubators, sterilisers, etc.

- Temperature range -170 to +140 °C
- Can be written on with pencil

Length: 7.6 m
Colour: White

Description	Pk	Cat. No.	
Tape, 13 mm wide	1 Roll	817-1581	•
Tape, 19 mm wide	1 Roll	817-1582	•
Tape, 25 mm wide	1 Roll	817-1583	•

Tape Sets



All purpose, self-adhesive Time Tape is well suited for a wide variety of labelling applications. It can be written on with pen, pencil or permanent marker. This tape is available in an assortment of various colours in three widths.

- Temperature resistant from -45 up to +121 °C
- With removable adhesive
- Oil, water and acid resistant

Set 1 contains two rolls white, yellow, blue, green, and red, and one roll of orange and pink.

Set 2 contains five rolls white, four rolls yellow, three rolls blue, three rolls green, three rolls orange, three rolls red and three rolls pink.

Set 3 contains four rolls white, two rolls yellow, two rolls blue, two rolls green, two rolls orange, two rolls red and two rolls pink.

Description	Width (mm)	Length (m)	Pk	Cat. No.	
Set 1	25	12.7	12 Roll	817-0026	•
Set 2	13	12.7	24 Roll	817-0027	•
Set 3	19	12.7	16 Roll	817-0044	•

Tape Labels



For general laboratory use. Without dispenser.

- Self-adhesive
- Removes cleanly without residues
- White with red border

Dimensions (mm)	Pk	Cat. No.	
25x20	500	817-1660	•
41x25	307	817-1661	•
63x38	200	817-1662	•
75x50	167	817-1663	•

Contact our customer service team

Place or progress your orders, check prices, or information on our products and services



Contact us by phone: 0800 22 33 44

by fax: 01455 55 85 86

Protective Lab Labelling Tapes



Clear, transparent polyester tape. The tape dispenser (available separately) is moulded from strong ABS plastic with a serrated steel cutting blade.

- Remain securely affixed with no discoloration after autoclaving for 40 minutes at 125 °C or after storage for one week in liquid nitrogen at -196 °C
- Resistant to acids, alkalis and organic solvents
- Give smudge proof labelling with outstanding adhesive properties

Length: 33 m

Description	Width (mm)	Pk	Cat. No.
Tape	25	1	817-1131
	38	1	817-1132
	50	1	817-1133
Dispenser	-	1	817-1130

Tape Dispensers



Plastic (methacrylate) dispensers for dispensing multiple rolls of tape. Includes flip-top cover and bottom suction cups. For rolls of width 13, 19 or 25 mm.

Description	Pk	Cat. No.
For 12.7 m length (2.5 cm cores)	1	817-1592
For 55 m length (7.6 cm cores)	1	817-1645

Resistant Labels, LabTags™



LabTags™ permanent rubber based adhesive has excellent tack and adhesion properties suitable for glass and plastic labware, which will withstand autoclaving, boiling and freezing at -85 °C without peeling. The temperature specification of the adhesive can vary depending on the type of surface the label is applied to.




- Chemically resistant polyvinyl, matt finish
- Temperature resistant
- Smudgeproof and tear-resistant
- Do not require special ink for marking

Description	Colour	Pk	Cat. No.
Large laser LabTags™, 32x12.5 mm, for 1.5/2.0 ml microtubes, 1980 labels/pack	white	22	479-0043
Medium laser LabTags™, 24x12.5 mm, for 0.2/0.5 ml microtubes, 2016 labels/pack	white	16	479-0044
Spot-on LabTags™, Ø 9.5 mm, for caps of 1.5/2 ml tubes, 2000 labels/roll	yellow	2000	479-0042
	white	2000	479-0041
	blue	2000	479-0037
	green	2000	479-0038
	orange	2000	479-0039
Side-on LabTags™, 38x6.5 mm, for petri dishes, lids and microtitre plates	red	1000	479-0035
	white	1000	479-0036

Description	Colour	Pk	Cat. No.
Large LabTags™, 32.5x12.5 mm, for 1.5/2.0 ml microtubes, 1000 labels/roll	blue	1000	479-0033
Medium LabTags™, 24x12.5 mm, for 0.5/0.6 ml microtubes, 1000 labels/roll	white	1000	479-0034
Small LabTags™, 20x6 mm, for 0.2 ml microtubes, 1000 labels/roll	orange	1000	479-0031
	white	1000	479-0032
	green	1000	479-0029
	white	1000	479-0030

Labels, Rectangular



White self-adhesive labels on reels. 2500 labels per reel.

Description	Colour	Pk	Cat. No.
Labels, 25x51 mm	white	2500	817-0028

Circular Labels



Self adhesive, smudge proof labels. Suitable for labelling samples and documents. Bright colours. For use with any writing device.

- Oil and water-resistant
- Temperature resistant from -45 to +121 °C
- Peels off easily and leaves no residue

Diameter: 19 mm


Colour	Pk	Cat. No.
red	1000	817-1648
lavender	1000	817-1652
dark blue	1000	817-1653
blue	1000	817-1649
yellow	1000	817-1647

Instant value with
www.vwr.com



Please contact your local sales office for more information

Mini Laboratory Notebooks



Imitation leather for use in laboratory environments. Acid-free archival safe paper (90 gsm). Includes laboratory notebook guidelines page, table of contents and user data page. English language only.



- Scientific 5 mm grid or ruled format with date and witness signature blocks
- 'FLEX' cover with coating, for durability

Format: A5 (14.8x21 cm) or A6 (10.5 x14.8 cm), 96 pages

Colour: Blue

All books made in accordance with GLP, GMP and GCP guidelines.

Description	Type	Pk	Cat. No.
Mini lab book, A5	Grid	1	818-0100
Mini lab book, A6	Grid	1	818-0101
Mini lab book, A5	Ruled	1	818-0110
Mini lab book, A6	Ruled	1	818-0111

Mini Equipment Log Books



'FLEX' covers with coating, for durability in laboratory environments. Acid-free archival safe paper (90 gsm).



- Pages specifically designed for logging and recording equipment data
- Tough coated cover

Format: A5 (14.8x21 cm) or A6 (10.5 x14.8 cm), 96 pages, numbered.

All books made in accordance with GLP, GMP and GCP guidelines.

Description	Colour	Pk	Cat. No.
Mini equipment log book, A5	red	1	818-0108
Mini equipment log book, A6	red	1	818-0109

Laboratory Notebooks



Imitation leather cover with coating, for durability in laboratory environments. Acid-free archival safe paper (90 gsm). Includes laboratory notebook guidelines page, table of contents and user data page. Available in different language formats: English only, English-French, English-German, English-Spanish.



- Pages are sewn in sections with round binding so that book lays flat
- Scientific 5 mm grid or ruled format with date and witness signature blocks
- Waterproof

Format: A4 (21x 29.7 cm) or A5 (14.8x 21 cm). A4 books available in three sizes: 72, 120 and 216 pages. A5 available with 96 pages.

Colour: Blue

All books made in accordance with GLP, GMP and GCP guidelines.

Description	Type	Version	Pk	Cat. No.
Lab book, A4, 72 pages	Grid	English only	1	818-0068
Lab book, A4, 120 pages	Grid	English only	1	818-0069
Lab book, A4, 216 pages	Grid	English only	1	818-0070
Lab book, A5, 96 pages	Grid	English only	1	818-0071
Lab book, A4, 72 pages	Ruled	English only	1	818-0072

Office

Office Supplies

Description	Type	Version	Pk	Cat. No.
Lab book, A4, 120 pages	Ruled	English only	1	818-0073
Lab book, A4, 216 pages	Ruled	English only	1	818-0074
Lab book, A5, 96 pages	Ruled	English only	1	818-0075
Lab book, A4, 72 pages	Grid	English-French	1	818-0076
Lab book, A4, 120 pages	Grid	English-French	1	818-0077
Lab book, A4, 216 pages	Grid	English-French	1	818-0078
Lab book, A5, 96 pages	Grid	English-French	1	818-0079
Lab book, A4, 72 pages	Ruled	English-French	1	818-0080
Lab book, A4, 216 pages	Ruled	English-French	1	818-0082
Lab book, A5, 96 pages	Ruled	English-French	1	818-0083
Lab book, A4, 72 pages	Grid	English-German	1	818-0084
Lab book, A4, 216 pages	Grid	English-German	1	818-0086
Lab book, A5, 96 pages	Grid	English-German	1	818-0087
Lab book, A4, 72 pages	Ruled	English-German	1	818-0088
Lab book, A4, 120 pages	Ruled	English-German	1	818-0089
Lab book, A4, 216 pages	Ruled	English-German	1	818-0090
Lab book, A5, 96 pages	Ruled	English-German	1	818-0091
Lab book, A4, 72 pages	Grid	English-Spanish	1	818-0092
Lab book, A4, 216 pages	Grid	English-Spanish	1	818-0094
Lab book, A5, 96 pages	Grid	English-Spanish	1	818-0095
Lab book, A4, 72 pages	Ruled	English-Spanish	1	818-0096
Lab book, A4, 216 pages	Ruled	English-Spanish	1	818-0098
Lab book, A5, 96 pages	Ruled	English-Spanish	1	818-0099
Lab book, A4, 120 pages	Grid	English-Italian	1	818-0112
Lab book, A4, 216 pages	Grid	English-Italian	1	818-0113
Lab book, A4, 120 pages	Ruled	English-Italian	1	818-0114
Lab book, A4, 216 pages	Ruled	English-Italian	1	818-0115
Lab book, XL (22.5x34.5 cm), 144 pages	Grid	EN/FR/IT/SP/DE	1	818-0116
	Ruled	EN/FR/IT/SP/DE	1	818-0117

Laboratory Log Books, Special Purpose



Imitation leather cover with coating, for durability in laboratory environments. Acid-free archival safe paper (90 gsm). Used to record and log data relating to laboratory equipment, temperature, balance calibration, reagents, animal maintenance and sample receipts.



- All pages for logging documentation have specific column headings for easy data entry
- Pages sewn in sections, books have round binding so that they lay flat
- Waterproof and tough

All books made in accordance with GLP, GMP and GCP guidelines.

Description	Colour	Pk	Cat. No.
Laboratory equipment, 96 pages	red	1	818-0102
Animal maintenance, 168 pages	black	1	818-0103
Balance calibration, 168 pages	green	1	818-0104
Reagents, 168 pages	burgundy	1	818-0105
Sample receipt, 168 pages	red	1	818-0106
Temperature, 168 pages	white	1	818-0107

Notebook, Poly Paper Nalgene



Laboratory notebooks with uncoated Poly Paper pages and PE cover.

- Completely waterproof and extremely chemical resistant
- Grid or lined
- Pages include spaces for dates, signatures, other pages include instructions for keeping records and table of contents

Format: A4 (24,1x29,2 cm) with 100 numbered pages (50 sheets) printed with a fine green line

Description	Colour	Pk	Cat. No.
Notebook, grid	black	1	818-1752
Notebook, lined	blue	1	818-1753

Laboratory Notebook Nalgene



Polyethylene cover for durability in laboratory environments.

- Waterproofed
- Grid
- Place for signature on the bottom of every page

96 pages

Description	Colour	Pk	Cat. No.
Notebook, 8.5x11", with grid	green	1	115-0195
Notebook, 8.5x11", lined	red	1	115-0547
Notebook, A4, grid	green	1	115-9266

Cleanroom Papers, PUREImage™



Cleanroom paper is designed for writing, printing and photocopying in cleanroom environments where the prevention of chemical and particle contamination is critical.



- High tensile strength and excellent heat resistance for enhanced copier and printing efficiency
- PE binding technology results in very low levels of particles, non-volatile residue and ion extractables
- Unique precision cutting technology guarantees consistent sizing and cleanliness
- Paper is web-cleaned on both sides prior to sheeting

Format: DIN A4 or 279x216 mm

Weight: 80 g/m², except Cat. No. 115-0148 and 115-0156 with 105 g/m²

Produced in an ISO Class 4 (FED-STD-209E Class 10/M2.5) cleanroom and cleaned and double-bagged in an ISO Class 5 (FED-STD-209E Class 100/M3.5) cleanroom. Paper is suitable for use in ISO Class 4 (FED-STD-209E Class 10/M2.5) to ISO Class 6 (FED-STD-209E Class 1000/M4.5) cleanrooms.

Packaging: Paper is packed 250 sheets per pack, 10 packs per case

Description	Colour	Pk	Cat. No.
Non-latex paper, 279x216 mm	blue	10	115-0141
	green	10	115-0145
	orange	10	115-0146
	violet	10	115-0147
	white	10	115-0139
Non-latex paper, A4 size	white	10	115-0148
	blue	10	115-0150
	green	10	115-0153
	orange	100	115-0154
	pink	10	115-0152
	violet	10	115-0155
	white	10	115-0149
Non-latex, 3-hole punched paper, 279x216 mm	white	10	115-0156
	yellow	10	115-0151
	blue	10	115-0142
Latex-impregnated paper, 279x216 mm	white	10	115-0140
	blue	10	115-0160
	green	10	115-0162
	yellow	10	115-0161
Latex-impregnated paper, A4 size	blue	10	115-0164
	green	10	115-0166
	white	10	115-0163
	yellow	10	115-0165

Office

Office Supplies

Spiral Notebooks, TexWrite®

ITW Texwipe



TexWrite® cleanroom spiral-bound notebook, college ruled. An economical choice for note taking and data recording in critical environments.

- Printed with low sodium, IPA resistant inks
- Lie flat and pages rotate freely for ease of use

Format: Large (280x216 mm), medium (216x140 mm), small (127x76 mm)

Packaging: Bag-Within-A-Bag®

Description	Pk	Cat. No.
Small	20	818-0121
Medium	10	818-0130
Big	10	818-0129

Cleanroom Notebooks



These notebooks contain VWR PUREImage™ latex-free paper and have a see-through cover. Designed for use in cleanrooms and critical environments where particulate or extractable contamination is critical.



- Produced with new, latex-free, paper-binding technology
- College ruled on all pages
- Double-bagged in a Class 100 environment

Format: A4, A5, A6, 100 pages (50 sheet)

Description	Colour	Pk	Cat. No.
Notebook A4	white	10	818-0126
Notebook A5	white	20	818-0127
Notebook A6	white	40	818-0128

Cleanroom Paper



TexWrite® 22, latex-saturated cellulose cleanroom documentation sheets without organic fillers.

- Ideal for note taking, equipment manuals, and work instructions
- Can be used with laser printers and photocopiers

Format: A4 cleanroom bond

Packaging: 250 sheets per pack, 10 packs per case (Bag-Within-A-Bag®)

Description	Pk	Cat. No.
Cleanroom paper	2500	818-0132

Board, Drywipe



High quality aluminium frame with concealed corner fixings, available with magnetic and non-magnetic surfaces.

- Hardwearing coated steel surface to maximise magnetic adhesion
- Guaranteed for two years under normal use

Delivery Information: Supplied complete with 300 mm pen tray, screws and rawl plugs.



Description	Pk	Cat. No.
Magnetic, 900x600 mm	1	818-0038
Non-magnetic, 900x600 mm	1	818-0040
Non-magnetic 1200x900 mm	1	818-0041

Laser pointer



Made from aluminium, metallic finish, with clip, laser class 2. CE certified.

- With adjustable arrow or point
- Range min. 50 m

Length: approx. 137 mm

Description	Colour	Pk	Cat. No.
Laser pointer	silver	1	139-2156

Calipers, Digital



Made from stainless steel. Battery life is approx. 10 000 hours.

- Ergonomic body and friction thumb roller make readings fast
- Easy to read, jumbo digit display
- Moisture and dust resistant steel

Functions: Zero button instantly sets closed jaws or any reference point to zero. Floating zero may also be set in mid-measurement to read difference results without calculations.

Weight: 255 g

A serial numbered certificate is provided from an ISO 17025 calibration laboratory accredited by A2LA to indicate instrument traceability to standards provided by NIST.



Range	Pk	Cat. No.
0-150 mm	1	819-0012
0-200 mm	1	819-0013

Calculator



Convenient pocket size calculator can handle 99% of all routine and other calculations in the laboratory. Provides immediate, exact results for a wide range of applications: conversions, scientific calculations, statistical operations, arithmetical calculations and similar laboratory work. Display: 10 characters with 2-digit exponent.

- Clear display with large, bright numbers and ergonomic keys
- 3-key memory and memory protection when the calculator is switched off
- Automatic switch off to preserve batteries

Functions:

Over 50 functions for trigonometry calculations, logarithms, exponentials and roots, inverse calculations, factoring, percentages, hexadecimal calculations, probability generator and conversion from degrees to decimal degrees. The statistics function provides standard deviation, averages, sum of squares, sum of data and much more.

Dimensions (WxDxH): 76x127x13 mm

Pk	Cat. No.
1	818-0062



Office

Calculators

Pocket Calculator with Converter, Metric



This lightweight, compact metric converter replaces cumbersome factor conversion handbooks. The calculator provides fast and accurate answers for 126 types of metric conversions. Simply enter a number, press an arrow and read the exact metric answer with decimal point in place.

- Bright, eight-digit LCD display
- Light and compact
- Easy to use and easy to read-raised keys, large digits

Functions: Performs multiple conversions and calculator functions - converts length, area, volume, weight, liquid and temperature as well as routine calculator functions. Performs imperial to metric conversions.

Dimensions (WxDxH): 108x64x13 mm

Delivery Information: Supplied with solar panel, 1.5 V battery, and protective case.

Pk	Cat. No.
1	818-0058

Calculator with Converter



Multi-function device featuring a universal converter, calculator, stopwatch, and time of day clock with alarm. Its capacity to instantly convert any unit to another makes it ideal for use in petroleum, biomedical, water/sewage, chemical, quality control, and research laboratories.

- Multifunctional
- Alarm

Functions:

More than one million possible conversions, including units of area, force, weight, length, heat, flow, energy, time, noise, viscosity, and frequency. Stores up to nine unique conversion factors - any number between 99 999 and 0.00 001 or six- seven- or eight-digit numbers ending in 0, 00, or 000.

Calculator adds, subtracts, multiplies, and divides with floating decimal point. Stopwatch times to 10 hours, in hundredths of a second. Chronograph displays time of day to the second.

Dimensions (WxDxH): 86x6.4x57 mm
Weight: 28.4 g

Pk	Cat. No.
1	818-0064

Calculator, Solar Powered



Inexpensive, oversized, solar-powered pocket calculator.

- 13 mm numbers for effortless reading
- Oversized keys with clearly readable LCD display

Functions:

Basic arithmetic operations, percentage calculation, memory and floating decimal point

Delivery Information: Supplied with an attractive, handy collapsible box.

Pk	Cat. No.
1	818-0061



Calculator, Desktop



Tough ABS plastic case.

- Oversized keys
- Large digits
- 12-Digit angled display

Functions:

With arithmetic functions (add, subtract, multiply, divide), percent, 3-key memory, square root, and floating decimal point.

Dimensions (WxDxH): 114x5x165 mm

Weight: 113.4 g

Pk	Cat. No.
1	818-0066



The VWR e-newsletter

For the latest news,
promotions and
updates from
VWR International

Register now at <http://eu.vwr.com/e-newsletter>

Office

Tapes and Adhesives

Tape, Supertack™

Ultratape



PE

Ideal for hanging heavy plastic sheeting during construction, fabricating of temporary walls, taping wheels, and other applications where a strong adhesive bond is needed. Suitable for use in ISO Class 4 environments.

- Tapes remove cleanly with no residue
- Tear by hand
- Accept cleanroom ballpoint pen writing

Length: 33 m
Colour: White

Packaging: Supplied double-bagged.

Description	Width (mm)	Pk	Cat. No.
Tape Supertack™	51	3 Roll	817-0069

Tapes, General Purpose

Ultratape



PE

Ideal for both construction and in-process work. Also useful for sealing bags, wafer boxes, general use and light-duty construction.

- Low stretch, medium tack
- Can be applied for long periods of time (months) before removal
- Removes cleanly without residues

Length: 55 m
Colour: White

Packaging: Supplied double-bagged.

Description	Width (mm)	Pk	Cat. No.
	25	6 Roll	112-1186
Tape	51	3 Roll	817-0072
	76	2 Roll	817-0073

Tape, Hazard Warning

Ultratape



Vinyl

Black and yellow striped hazard warning tape used to designate OSHA critical areas in cleanrooms.

Length: 16.5 m

Packaging: Supplied double-bagged

Description	Width (mm)	Pk	Cat. No.
Tape, Hazard Warning	50	3 Roll	819-1700